



RECEIVED

JUL 09 2008

Washington State  
Department of Ecology

**Commissioners**

Nancy E. Barnes  
Carol J. Curtis  
Byron H. Hanke

**Chief Executive Officer/  
General Manager**

Wayne W. Nelson

June 30, 2008

Department of Ecology, Southwest Regional Office  
Water Resource Program  
PO Box 47775  
Olympia, WA 98504

Attn: Mr. Tom Loranger  
Southwest Region Section Supervisor

Re: Application for Water Right (Paradise Point site)

Dear Tom:

Enclosed is an *Application for Water Right* for Clark Public Utilities' (CPU's) proposed Paradise Point wellfield, the initial \$50.00 (fifty dollar) application fee and the hydro-geological report for the site. This application is for water identified in the *Reservation of Future Public Water Supply for Clark County*, Chapter 173-592.

It is CPU's intent to construct up to four 20-inch production wells at our Paradise Point site situated near the confluence of the East and North Forks of the Lewis River. This site, located in the Lewis River lowland area, has been identified by the WRIA 27/28 Watershed Planning Unit as being suitable for the development of a regional water supply without impact to upland stream flows.

Preliminary hydraulic testing and analysis indicates that the wellfield will be able to produce up to 10,000 gallons per minute and that streamflow capture would be confined to the tidally influenced reaches of the North Fork and East Fork of the Lewis River.

While CPU's operates wells throughout Clark County, the Paradise Point site will provide an important supply for the northern portions of our service area including the city of La Center. The wellfield will also be able to assist in meeting the future needs of our wholesale partners - Ridgefield and Battle Ground. We estimate water supply demand in the north Clark County planning area may approach 30,000 acre-feet per year over the next 50 years. The Paradise Point wellfield will play a critical role in meeting this future need for water.

Included with this application is the hydro-geologic analysis based on data collected from the installation and testing of two 8 inch diameter test wells and one shallow monitoring well.

Please call me at (360) 992-8023 if you have any questions.

Sincerely,



Steve Prather  
Water Quality/Production Manager  
Clark Public Utilities  
360-992-8023

Enclosures: Water Right Application; Application fee; Hydro-geologic Report

# RECEIPT

Department of Ecology (4610)  
PO Box 47611  
Olympia, WA 98504-7611  
(360) 407-7095

Receipt Number  
Manual Receipt

09CJ000478

Document Number **461P0059 CJ** Date **07/10/2008** FM 13

Remitter Name **CLARK PUBLIC UTILITIES**

Receipt Name

Check/Draw Number **375685**

Document Amount **50.00**

Method of Payment **Check**

Comment Description **WATER RIGHT**

REF DOC NR	REF DOC SFX	INV NR	ID NR	SUB ID NR	T C R	FUND	MAJ GRP	MAG SRC	SUB SRC	CNTY	WORK CLS	PIC	AI	ORG	PRJ	SUB PRJ	PRJ PHS	SUB OBJ	SUB SUB OBJ	VAR GL	SUB DR	SID CR	ALLOC AMT
					001	001	02	85	000011														50.00

App Returned  
Unsigned & Add'l  
Fees Due  
7/15/08  
SC